



Whole of House Solutions

Everything you need to know about
Fielders® steel building products

fielders.com.au







If you can imagine it. You can do it with Fielders.

For over 115 years, Fielders has helped create beautiful homes and buildings with our range of steel building products. Offering performance, functionality and design flexibility, Fielders® products offer practical benefits that other materials just can't match. Through our partnerships with retailers across Australia, local expert teams can assist and supply you with everything you need for your next project. When it comes time to bring your dreams to life, you can create it with Fielders.


Fielders' Product Range




Roofing and Walling



Gutters, Fascia and
Rainwater Goods



Fencing



Patios and Carports



Trusted for Over 115 Years

Who is Fielders?

Fielders is a division of BlueScope that manufacture industry-leading steel roofing, walling, structural and related building products for use in the Australian building and construction industry. These products help create practical and beautiful residential, industrial and commercial structures.

Why Fielders is the best choice

- Australian made with COLORBOND® steel – Trusted and proven for 50 years
- The range is easy to install and requires minimal maintenance
- Durable – products won't rust, peel or crack
- Backed by BlueScope material warranty¹.

What is the relationship between Fielders and COLORBOND® steel?

COLORBOND® steel is Australian-made pre-painted steel that's supplied to Fielders in large coils by BlueScope. Through a process known as rollforming, Fielders forms the COLORBOND® steel into roofing, cladding, guttering and fascia profiles, along with components for fencing systems and home additions such as verandahs, patios and carports. And where pre-painted products are not needed, Fielders also forms ZINCALUME® steel into unpainted roofing, guttering and fascia products.

Where to get more information and support on the Fielders range

The Fielders website fielders.com.au is a great starting point to access a range of detailed support materials covering the range, including brochures, case studies and technical documents.



Scan the QR code
to go to fielders.com.au

Steel Roofing, Walling & Cladding

Whether you're undertaking a new build, renovation or refurbishment, Fielders® steel wall cladding offers practical benefits that other materials just can't match.

Made for Australia rain, hail or shine

Paint can peel, timber can rot and mortar can crumble. Fielders® steel wall cladding is long-lasting and virtually maintenance free. With its broad coverage, steel cladding is also extremely weather resistant. A further positive of Fielders® steel wall cladding is that unlike some alternative materials it won't hold heat, meaning your wall and building can cool more quickly in summer.

Greater design freedom

The Fielders® steel cladding range offers a wide selection of attractive profiles which are available in a broad range of COLORBOND® steel colours, so there's bound to be a combination to suit your design vision. Fielders® steel cladding is also versatile – some profiles can be curved and shaped to create striking accents, helping to give your residential or commercial design a bold and bespoke character that sets it apart. Most Fielders® steel wall cladding products can even be fitted both vertically and horizontally, providing even more design options.

Safe, durable and secure

Given their strength, durability and low maintenance qualities, Fielders® steel cladding products are ideal for use in buildings and homes situated in demanding locations, including bushfire-prone areas. As a non-combustible material, Fielders® steel wall cladding offers exceptional Bushfire Attack Level (BAL) performance. And when it comes to maintenance, keeping your steel cladding looking great is easy, all that's needed is the occasional wash-down with a hose.

Quick and efficient construction

Being relatively lightweight, Fielders® steel cladding is easy to handle during the construction phase, and doesn't require any specialist on-site equipment to install. And because the products offer broad coverage combined with their long spanning capabilities, they are also fast and efficient to install.

Selecting Roofing, Walling, Gutters & Fascia

1 Selecting a Roofing or Walling Profile

Across the exciting spectrum of residential architecture, the aesthetics, performance and versatility of Fielders® steel roofing and walling profiles are proving invaluable in inspiring and giving form to exceptional designs.

Considerations

Style of home

- Contemporary
- Hamptons
- Coastal
- Country
- Heritage
- Federation

Profile style and function

- Corrugated
- Rib and pan
- Flat underside
- Standing seam
- Interlocking panel
- Ribbed panel
- Weatherboard style
- Nailstrip

Pitch of the roof

Each Fielders® roofing profile is suitable down to a certain minimum roof pitch or slope.


S-Rib™ Corrugated

The iconic corrugated profile that has stood the test of time. S-Rib™ Corrugated is equally at home on any building from heritage projects through to the most contemporary designs.

Cover Width:	762mm
Rib height:	16mm (S-Rib™ Corrugated) 17mm (S-Rib™ Corrugated Curving Quality)
Min. roof slope:	5°
Fixing method:	Screw fixed
Profile style:	Corrugated
Suitable for:	Roofing or walling
Available in:	NSW/ACT, SA, VIC, WA (S-Rib™ Corrugated) NSW/ACT, SA, VIC, WA (S-Rib™ Corrugated Curving Quality)


S-Rib™ Corrugated

Iconic corrugated roofing or walling.



S-Rib™ Corrugated Curving Quality

The familiar corrugated steel profile made especially for curving.



1 Selecting a Roofing or Walling Profile


TL-5™

TL-5™ is both versatile and economical while still providing a clean and crisp modern finish thanks to its trapezoidal ribs and refined fluting in the pans.

Cover width:	762mm
Rib height:	29mm
Min. roof slope:	2° (TL-5™ only)
Fixing method:	Screw fixed
Profile style:	Rib-and-pan
Suitable for:	Roofing or walling (TL-5™) Walling (TL-5™ Walling Quality)
Available in:	NSW/ACT, SA, VIC, WA (TL-5™) NSW/ACT, SA, VIC, WA (TL-5™ Walling Quality)


TL-5™

Functional, economical rib and pan style roofing or walling.



TL-5™ Walling Quality

Functional, economical rib and pan style walling.



Spanform™

Spanform™ is a square corrugated profile that provides a distinct, contemporary look for roofing or walling. It is lightweight, durable, impact-resistant, cost-effective and visually appealing.

Cover width:	700mm
Rib height:	24mm
Min. roof slope:	2°
Fixing method:	Screw fixed
Profile style:	Corrugated
Suitable for:	Roofing or walling
Available in:	NSW/ACT, SA, VIC, WA

Spanform™

Distinct, contemporary squar-corrugated roofing or walling.





1 Selecting a Roofing or Walling Profile


KingKlip®

KingKlip® offers strong, uninterrupted and crisp appearance, making it suitable for many modern architectural applications. Long spanning capabilities and ability to accommodate thermal expansion makes it ideal for large roof and wall areas.

Cover width:	700mm
Rib height:	43mm (KingKlip® 700 - NSW/VIC Variant) 40mm (KingKlip® 700 - SA/WA Variant)
Min. roof slope:	1°
Fixing method:	Clip
Profile style:	Rib-and-pan
Suitable for:	Roofing or walling
Available in:	NSW/ACT, VIC (KingKlip® 700 - NSW/VIC Variant) SA, WA (KingKlip® 700 - SA/WA Variant)


KingKlip® 700 (NSW/VIC Variant)

Concealed fixed steel roofing or walling for long, clean lines featuring transverse fluting across the width of the pan.



KingKlip® 700 (SA/WA Variant)

A refined version of the initial KingKlip® profile incorporating longitudinal flutes running along the pan's length.




Panelform™

Panelform™ is a durable and easy-to-fit wall cladding that offers design flexibility with its sleek, low-profile ribs, resulting in a clean and contemporary finish that stylish and long-lasting.

Cover width:	850mm
Rib height:	4mm
Fixing method:	Screw fixed
Profile style:	Ribbed
Suitable for:	Walling
Available in:	NSW/ACT, VIC

Panelform™

Functional, economical rib and pan style walling.



1 Selecting a Roofing or Walling Profile


Lo-Rib™

Lo-Rib™ wall cladding is visually striking with subtle, yet well-defined ribs and generous pan widths, offering versatility and affordability for easy and quick installation.

Cover width:	840mm
Rib height:	12mm
Fixing method:	Screw fixed
Profile style:	Ribbed
Suitable for:	Walling
Available in:	NSW/ACT, VIC

Lo-Rib™

Functional, economical rib and pan style roofing or walling.




Mini-Flute™

Mini-Flute™ is a versatile wall cladding with a smaller corrugated styling suitable for both heritage and contemporary architectural homes. It can be installed vertically or horizontally, and its full-length sheets make for a fast and easy installation.

Cover width:	810mm (Mini-Flute™ 810) 820mm (Mini-Flute™ 820)
Rib height:	6mm
Fixing method:	Screw fixed
Profile style:	Corrugated
Suitable for:	Walling
Available in:	WA (Mini-Flute™ 810) NSW/ACT, SA, VIC (Mini-Flute™ 820)


Mini-Flute™ 810

Mini corrugated wall cladding with an 810mm cover width.



Mini-Flute™ 820

Mini corrugated wall cladding with an 820mm cover width.



1 Selecting a Roofing or Walling Profile

Prominence®

With its broad, flat pans and distinctive mid-height ribs, Prominence® makes a bold and elegant statement.

- Cover width:** 265mm (Prominence® 265)
465mm (Prominence® 465)
- Rib height:** 38mm
- Fixing method:** Screw fixed
- Profile style:** Nailstrip/Standing seam
- Suitable for:** Roofing or walling
- Available in:** NSW/ACT, SA, VIC, WA
(Prominence® 265)
NSW/ACT, SA, VIC, WA
(Prominence® 465)

Prominence® 265

Standard variant of Prominence® with a narrower 265mm cover width.



Prominence® 465

Standard variant of Prominence® with a wider 465mm cover width.



Cadence™

Cadence™ is a versatile cladding suitable for roofing and walling applications with a clip fixing system for optimised thermal performance. It offers design appeal with elegant flat pans and pronounced ribs for a distinctive finish.

- Cover width:** 265mm (Cadence™ 265)
465mm (Cadence™ 465)
- Rib height:** 38mm
- Fixing method:** Clip
- Profile style:** Nailstrip/Standing seam
- Suitable for:** Roofing or walling
- Available in:** NSW/ACT, SA, VIC, WA
(Cadence™ 265)
NSW/ACT, SA, VIC, WA
(Cadence™ 465)

Cadence™ 265

Standard variant of Cadence™ with a narrower 265mm cover width.



Cadence™ 465

Standard variant of Cadence™ with a wider 465mm cover width.



1 Selecting a Roofing or Walling Profile


Boulevard®

Boulevard® is a contemporary walling solution that gives a strong, flat linear impression thanks to its robust, interlocking panel design incorporating defined express joints.

Cover width:	285mm (Boulevard® 285) 485mm (Boulevard® 485)
Rib height:	25mm
Fixing method:	Screw fixed
Profile style:	Interlocking panel
Suitable for:	Walling
Available in:	NSW/ACT, SA, VIC, WA (Boulevard® 285) NSW/ACT, SA, VIC, WA (Boulevard® 485)


Boulevard® 285

Standard variant of Boulevard® with a narrower 285mm cover width.



Boulevard® 485

Standard variant of Boulevard® with a wider 485mm cover width.




Grandeur®

Featuring flat pans and short, delicate ribs, Grandeur® is a cleanly elegant standing-seam roofing profile that complements virtually any architectural design. These striking looks are combined with a curving capacity not readily available in all cladding, providing extra versatility and design freedom.

Cover width:	325mm (Grandeur® 325) 525mm (Grandeur® 525)
Rib height:	25mm
Fixing method:	Clip
Profile style:	Nailstrip/standing seam
Suitable for:	Roofing or walling
Available in:	NSW/ACT, SA, VIC, WA (Grandeur® 325) NSW/ACT, SA, VIC, WA (Grandeur® 525)


Grandeur® 325

Standard variant to Grandeur® with a narrower 325mm cover width,



Grandeur® 525

Standard variant to Grandeur® with a wider 325mm cover width.




Shadowline® 305

Shadowline® 305 is a striking roofing and walling profile with deep ribs and wide pans. It has a concealed fixing system for a clean finish and can be mounted vertically or horizontally. It is suitable for low pitch roofs and provides a dramatic design aesthetic when used in walling applications.

Cover width:	305mm
Rib height:	48mm
Min. roof slope:	1°
Fixing method:	Clip
Profile style:	Rib-and-pan
Suitable for:	Roofing or walling
Available in:	NSW/ACT, SA, VIC (Shadowline® 305) WA (Shadowline® 305 - WA variant)


Shadowline® 305

The original Shadowline® 305 profile.



Shadowline® 305 (WA variant)

A variant of Shadowline® 305 available in Western Australia.





2 Selecting Gutters & Fascias

Considerations

- Style of the home or project
- Gutter profile and appearance
- Rainwater carrying capacity requirements based on the projects location

Quad

A timeless design perfect for new homes and gutter replacements. Ideal for steel and tile roofs, it's a versatile all-rounder, fitting various architectural styles on houses, patios, carports, and sheds.


Profile style: Quad/D
Suitable for: Gutting
Available in: NSW/ACT, SA, VIC



Fascia Gutter

A square-fronted gem that brings a sleek and tidy look to any structure. Whether it's a patio, carport, shed, or a residential home, this versatile gutter fits right in. It's a perfect match, adding a touch of finesse to both steel or tile roofs.

Profile style: Square
Suitable for: Gutting
Available in: NSW/ACT, SA, VIC, WA



Ogee

This special gutter shape has been expertly crafted for heritage homes and other vintage-inspired structures like patios, carports, and gazebos. The scalloped front edge adds a touch of distinction that beautifully complements the home's heritage features.

Profile style: Ogee
Suitable for: Gutting
Available in: NSW/ACT, SA, VIC




2 Selecting Gutters & Fascias

Ovolo™

This exquisite gutter shape is tailor-made for heritage homes and other vintage-inspired structures like patios, carports, and gazebos. The gutter's scalloped front edge adds a touch of elegance that beautifully complements the home's heritage aesthetics.


Profile style:	Ogee
Suitable for:	Guttering
Available in:	WA



Longline

Featuring a sleek taper-front design that perfectly complements modern homes, patios, carports, and gazebos. Its clean lines offer a polished finish that adds elegance to any structure. Ideal for both steel and tile roofs, this gutter is the go-to choice for contemporary buildings, offering excellent rainwater carrying capacity.


Profile style:	Tapered
Suitable for:	Guttering
Available in:	WA



Urbis™

With a sleek taper-front design that perfectly suits modern homes, patios, carports, and gazebos the clean lines and sleek finish of an Urbis™ gutter add a touch of elegance to any structure. Ideal for both steel and tile roofs, these gutters are the perfect choice for contemporary buildings that require excellent rainwater carrying capacity.

Profile style:	Tapered
Suitable for:	Guttering
Available in:	SA






2 Selecting Gutters & Fascias

Half Round

The Half Round gutter has a modern shape with an impressive rainfall carrying capacity. Its curved base ensures improved self-cleaning, minimizing water and dirt build-up. Perfect for both steel and tile roofs, this gutter is an excellent choice for contemporary homes, as well as commercial and industrial buildings that need superior rainwater handling.


Profile style:	Round
Suitable for:	Guttering
Available in:	NSW/ACT, SA, VIC, WA



Halflite®

A sleek and modern design built to handle heavy rainfall with ease. Its curved base ensures self-cleaning, preventing water and dirt buildup. Whether it's steel or tile roofs, this gutter is the go-to choice for contemporary homes and any place that demands exceptional rainwater carrying capacity.

Profile style:	Round
Suitable for:	Guttering
Available in:	NSW/ACT, SA



Quarter Round

A sleek and contemporary design that perfectly complements modern homes. Ideal for steel and tile roofs, this distinctive gutter is your go-to solution for houses, patios, carports, and sheds.


Profile style:	Round
Suitable for:	Guttering
Available in:	WA



Steel Fascia

A hassle-free and quick-to-install steel fascia that perfectly complements an extensive range of Fielders® gutters. It's designed to create a complete fascia system for residential properties, and available with a range of matching steel accessories.

Suitable for:	Fascia
Available in:	NSW/ACT, SA, VIC



3 Selecting Material, Finishes & Colours

Considerations

The right material for the right location

Fielders® offers roofing, walling, guttering, and fascia products in various materials, including standard COLORBOND® steel for most locations, specialist grades for challenging environments, and unpainted options like ZINCALUME® steel and Galvanised steel. For extremely severe coastal environments and water-adjacent construction, Fielders® offers products manufactured from pre-painted aluminium.

Warranties¹ are available for Fielders® products, and your builder or architect can help you choose the right material for your specific location.

Standing out or blending in

Whether you're looking for your home to make a bold statement or subtly blend in with its environment, Fielders® roofing, walling, guttering and fascia can be manufactured in finishes such as COLORBOND® steel Matt or COLORBOND® Metallic steel. If you prefer colours that are light or dark, cool or warm, you'll find the perfect colour for your home from our range.

	ROOFING		WALLING	
Distance from:	Breaking surf of exposed marine	Calm marine	Breaking surf of exposed marine	Calm marine
ZINCALUME® steel	200m	100m	1000m	1000m
COLORBOND® steel	200m	0	800m	200m
COLORBOND® steel Matt	200m	0	800m	200m
COLORBOND® Metallic steel	200m	100m	1000m	1000m
COLORBOND® Coolmax® steel	200m	100m	Roofing only	Roofing only
COLORBOND® Ultra steel	100m	0m	500m	100m
SUPERDURA® Stainless steel	0m	0m	0m	0m
Pre-painted aluminium	Over water	Over water	0m	0m





Selecting Fielders Dominator® Fencing & Screening

1 Selecting Fence Profile & Height

Considerations

Profile style, appearance and function

Fielders Dominator® fencing is available in a range of shapes with different aesthetics. For a boundary fence where privacy is important, consider a fence with a solid infill sheet, such as TL-5™. Alternatively, if you're looking to screen areas but would like light and air to filter through, choose a screen solution such as Slats.

Council or housing estate regulations

Many local government areas and housing estates have regulations enforcing a maximum fence height. Check with your local authority.

Other considerations

Neighbour's preference and the need to match any existing fences.

TL-5™

A cost-effective solution that provides privacy and security at home or in commercial environments, TL-5™ Fence is a proven performer.

- Panel width:** 2350mm (TL-5™); 2370mm (TL-5™ SA and WA variant)
- Panel height:** 1500mm, 1800mm, 2100mm
- Toppers available:** Lattice; Slats
- Suitable for:** Fencing
- Available in:** NSW/ACT, SA, VIC, WA

TL-5™

Fielders' classic and well proven boundary fence made from COLORBOND® steel.



TL-5™ (SA and WA variant)

A variant of TL-5 available in South Australia and Western Australia only.



1 Selecting Fence Profile & Height

Ridgeline®

Attractive lines combine with a subtle textured finish that will look great in just about every environment, while providing privacy and security.

Panel width:	2350mm, 3100mm
Panel height:	1500mm, 1800mm, 2100mm
Toppers available:	Lattice; Slats
Suitable for:	Fencing
Available in:	NSW/ACT, VIC



Mini-Flute™

Mini-Flute™ Fence's small corrugated in-fill sheets add class to any backyard while also providing the proven durability of COLORBOND® steel.

Panel width:	2350mm
Panel height:	1500mm, 1800mm, 2100mm
Toppers available:	Lattice; Slats
Suitable for:	Fencing
Available in:	NSW/ACT, VIC



S-Rib™

S-Rib™ provides versatile fencing solutions for the home or workplace. Made from tough COLORBOND® steel, it combines functionality with great looks.

Panel width:	2380mm
Panel height:	1500mm, 1800mm, 2100mm
Toppers available:	Lattice; Slats
Suitable for:	Fencing
Available in:	SA





1 Selecting Fence Profile & Height


Slats

Slats are a contemporary slat screening product that delivers added privacy either as a boundary fence or for overlooked areas of the property.

- Panel width:** 2350mm (Slats)
2370mm (Slats SA and WA variant)
- Panel height:** 1500mm, 1800mm, 2100mm
- Suitable for:** Fencing
- Available in:** NSW/ACT, SA, VIC, WA


Slats

Modern slat fencing for the home.



Slats (SA and WA variant)

A variant of Slats available in South Australia and Western Australia.




Louvred Slats

Fielders Louvred Slats can be used as a one panel privacy screen or combined to make an attractive panel garden fence. Its semi-open louvered appearance looks smart while also allowing light and airflow.

- Panel width:** 1575mm
- Panel height:** 1500mm, 1800mm, 2100mm
- Suitable for:** Fencing
- Available in:** NSW/ACT, SA, VIC, WA


Louvred Slats

A modern louvered slat that can be used for fencing and screening.



Louvred Slats (SA and WA variant)

A variant of Louvred Slats available in South Australia and Western Australia.





2 Selecting Accessories

Considerations


Decorative toppers

Most Fielders Dominator® fencing can have a topper of lattice or slats added above the primary fence panel as a decorative or additional privacy feature.

TL-5™ with Lattice Panel Topper

A simple and stylish solution for added security and privacy, our lattice panel topper is the perfect addition to your TL-5™ fence.

Available in: NSW/ACT, SA, VIC, WA



TL-5™ with Slats Panel Topper

A simple and stylish solution for added security and privacy, our slats topper is the perfect addition to your TL-5™ fence.

Available in: NSW/ACT, SA, VIC, WA



* Illustrated as TL-5 profile, please contact your local retailer for availability

Gates

Fielders offer a range of single and double gates for both personal and vehicle access.


Available in: NSW/ACT, SA, VIC, WA

3 Selecting Colour – Stand Out or Blend In

Considerations

- The colour used on other areas of the home, such as existing roof or walls
- Need to match any existing fences
- Neighbour's preference
- Council or housing estate regulations

Selecting Fielders Centenary® Patio or Carport



With a Fielders Centenary® patio or carport, choose from a range of structure styles and designs to create the optimal solution for any home. All styles and designs can be constructed freestanding or attached to the home for a seamless indoor/outdoor solution.

1 Selecting a Structure Type

Considerations

Attached or free standing

Our patios and carports can either be attached to the home for an indoor-to-outdoor space, or built as a free standing design for additional shelter.

Roof design

The roof design of a new patio or carport could easily integrate with the home's existing roofline or, make the patio or carport a feature with a combination pitched and flat roof designs.

Structure Types



Dutch Gable

Large portal beams allow for opening widths larger than 10m without the need to add columns.



Freespan

Available as a single gable or combined with flat roof sections, this clear, uncluttered design features no internal roof purlins.



Flat Roof

Whether attached or free-standing, a flat roof patio or verandah is cost-effective in its design and can be combined with various roofing and guttering profiles.



Hip Roof

Engineered for strength, the hip roof complements most house styles and is equally at home in contemporary or traditional settings.



Skillion

A skillion roof is similar to a flat roof, but with an attractive and modern slope, plus the benefit of allowing light to filter in.



Gable End

A popular choice for most Centenary® verandahs, carports and patios. Add infills to your gable end design for a unique, custom look for your Fielders Centenary® design.



Cantilever

The modern cantilever design allows for additional usable space, especially great for entertaining areas and walkways.

2 Selecting a Roof Profile

Considerations


Underside appearance

For a flat, ceiling-like underside, choose C-Dek™ or one of our insulated panel options. Alternatively, profiles such as S-Rib™, TL-5™ and Spanform™ can all be used for patios and carports.


Use of skylights and translucent roofing

Light up your patio or carport space during the day with skylight or translucent roofing options.


S-Rib™




Spanform™



TL-5™



C-Dek™



3 Selecting Colour – Stand Out or Blend In

Considerations

Select colours for the roof, beams, posts and gutters of the patio or carport and consider the colour used on existing areas of the house, such as roof or walls.

- Need to match any existing colours, profiles or fencing
- Neighbours preference
- Council or housing estate regulations



Selecting a Colour

The relationship between Fielders, COLORBOND® steel and other BlueScope product brands

COLORBOND® steel is the pre-painted steel that is supplied to Fielders in large coils. Fielders then rollforms the COLORBOND® steel into our range of roofing, walling, guttering and fascia profiles, plus components for fencing systems and home additions such as verandahs, patios and carports. Similarly, Fielders also rollform other BlueScope products such as ZINCALUME® steel, into unpainted roofing, walling, guttering and fascia profiles. For special applications, some Fielders products can also be manufactured using SUPERDURA® Stainless steel.

COLORBOND® STEEL

From Fielders

For Roofing, Walling, Guttering and Fascia


Classic

Designed to weather the unique Australian land, a Classic finish provides a low sheen aesthetic that provides longevity and durability.




Matt

Soft in appearance yet durable and strong, a Matt finish beautifully diffuses light for a textured designer appearance.




Ultra

For building in marine and industrial environments, Ultra offers another level of specialist protection and durability.



Metallic

The Metallic finish showcases long lasting lustre for colour brilliance. A simple play of light brings out the striking 'metallic' effect.



COLORBOND® STEEL

From Fielders

For Fencing

Classic

Designed to weather the unique Australian land, a Classic finish provides a low sheen aesthetic that provides longevity and durability.



A Note on Availability

Not all Fielders® products are available in all materials, finishes and colours shown - contact Fielders, your reseller, builder, or installer for more information.

SA and BCA Classification Explained

SA = Solar Absorptance. The classification of colours in the BCA is based on solar absorptance, which is the inverse of solar reflectance, expressed as a ratio between 0 and 1. A SA value of 0 indicates that a roof absorbs none and a value of 1 indicates that a roof absorbs 100% of the incoming solar radiation. Solar absorptance value is not applicable for SUPERDURA® Stainless steel. See the individual colour swatches for the SA value for each product and colour.

BCA = The Building Code of Australia (BCA) has classified roof colour on the basis of their solar absorptance, referred herein as Light (L < 0.40), Medium (M < 0.60), Dark (D > 0.60). See the individual colour swatches for the ratings available for each product and colour. BCA classification is correct at the time of printing but may be subject to change. Check your local state building regulations at the time of your project.

COLORBOND® STEEL

From Fielders

For Verandahs,
Patios and Carports


Double-Sided High-Gloss Roofing²

Specially developed for exterior home improvement applications where the high gloss underside acts as an attractive visible ceiling to the structure.



Beams and Posts³

Fully engineered, structural steel components in popular Classic colours with the same long-lasting pre-painted finish as found on our roofing and rainwater products.



SUPERDURA® STAINLESS STEEL

From Fielders

For Roofing, Walling,
Guttering and Fascia

Our ultimate pre-painted steel product for corrosion resistance, suitable for very severe marine environments.



UNPAINTED STEEL

From Fielders

For Roofing
and Walling

A range of aesthetics from the large, grey spangles of iconic galvanised steel through to modern, petite spangled ZINCALUME® steel cladding.




Product Availability


	NSW/ACT	QLD	NT	VIC	TAS	SA	WA
Steel Roofing							
S-Rib™ Corrugated	✓			✓		✓	✓
S-Rib™ Corrugated Curving Quality	✓			✓		✓	✓
CorroMax® 21						✓	
TL-5™	✓			✓		✓	✓
Spanform™	✓			✓		✓	✓
KingKlip® 700 - NSW, VIC variant	✓			✓			
KingKlip® 700 - SA, WA variant						✓	✓
Panelform™	✓			✓			
Lo-Rib™	✓			✓			
Prominence®	✓			✓		✓	✓
Cadence™	✓			✓		✓	✓
Grandeur®	✓			✓		✓	✓
Shadowline® 305	✓			✓		✓	
Shadowline® 305 - WA variant							✓
Neo Roman™	✓			✓		✓	✓
FreeForm™	✓	✓	✓	✓	✓	✓	✓
ARAMAX®	✓	✓	✓	✓	✓	✓	✓
Steel Guttering, Fascia and Finishing Touches							
Quad	✓			✓		✓	
Quarter Round							✓
Ogee	✓			✓		✓	
Ovolo™							✓
Longline							✓
Urbis™						✓	
Half Round	✓			✓		✓	✓
Halfline®	✓					✓	
Fascia Gutter	✓			✓		✓	✓
Steel Fascia	✓			✓		✓	
Rebate Steel Fascia							✓
Steel Fascia Cover	✓					✓	



Fielders' Product Range




**Roofing
and Walling**




**Gutters, Fascia
and Rainwater
Goods**




**Flooring and
Formwork**



Sheds



Fencing



**Patios and
Carports**

fielders.com.au

FOR SALES AND TECHNICAL ENQUIRIES CALL 1800 182 255

Product Descriptions

All descriptions, specifications, illustrations, drawings, data, dimensions, and weights contained in this publication and websites containing information from Fielders are approximations only. They are intended by Fielders to be a general description for information and identification purposes and do not create a sale by description. Fielders reserves the right at any time to:

a) Supply goods with such minor modifications from its drawings and specifications as it sees fit, and
b) Alter specifications shown in its publications and websites to reflect changes made after the date of publication.

Not all Fielders® products are available in all materials, finishes and colours shown. Material, finish and colour availability is indicative only and is subject to change without notice – contact Fielders, your reseller, builder, or installer for more information.

The colour swatches shown have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones and finishes.

¹ Warranties are subject to exclusions, application and eligibility criteria. For full terms and conditions and to determine the eligibility of your product for the warranty visit bluescopesteel.com.au/warranties or contact BlueScope on 1800 800 789. Warranties provided by BlueScope do not affect consumer rights under the Australian Consumer Law.

² Double-sided high-gloss roofing is manufactured with classic finish on the topside and high-gloss finish on the underside.

³ Beams and posts are manufactured with high-gloss finish.

COLORBOND®, SUPERDURA®, ZINCALUME®, Fielders® and © colour and product names are registered trademarks of BlueScope Steel Limited and ™ colour and product names are trademarks of BlueScope Steel Limited.

© 2024 BlueScope Steel Limited. ABN 16 000 011 058. All rights reserved. FIE0575 – 04/24



Scan the QR code to access
more inspiration and product
information on fielders.com.au

