



# Residential and Commercial Walling Solutions

[fielders.com.au](https://fielders.com.au)





**If you can imagine it.  
You can create it  
with Fielders.**

**Embarking on a new residential, commercial, or industrial building project, can be a very exciting time.**

With the right vision, knowledge and choice of materials, the possibilities are endless. The process can also be challenging – there are a lot of material choices to consider and big decisions to be made to achieve the look you want. As you transition from plans and renders through the construction phase and finally, opening the door to a new or renovated building, Fielders will be with you, helping your vision become a reality.

One of the most important decisions you'll make along this journey is selecting the materials you'll use. This is not only critical to achieve the desired look, but the decisions you make will also affect the maintenance needs, thermal and acoustic performance and overall sustainability and longevity of your residential, commercial or industrial building.

Fielders® steel wall cladding helps create beautiful, long-lasting and cost-effective buildings. Our ongoing focus on developing bold, innovative and aesthetically pleasing walling products has led to the development of a range that combines the very latest in technology, design and style.

Fielders® wall cladding is available in a wide range of on-trend colours, so there's sure to be a profile and colour combination to meet your building's design aesthetic.

So when it comes time to bring your architectural vision to life, if you can imagine it, you can create it with Fielders.

### **Fielders and COLORBOND® steel – a perfect combination**

COLORBOND® steel is Australian-made pre-painted steel that's supplied to Fielders in large coils by BlueScope. Through a process known as rollforming, Fielders forms the COLORBOND® steel into roofing, walling, guttering and fascia profiles, plus components for fencing systems and home additions such as verandahs, patios and carports. And where pre-painted products are not needed, Fielders also forms ZINCALUME® steel into unpainted roofing, guttering and fascia products.

**Colorbond®**







# Why you should build it with Fielders® steel products

Whether you're undertaking a new build, renovation or refurbishment, or modernising your building's facade, Fielders® steel wall cladding offers practical benefits that other materials just can't match.

## Made for Australia Rain, hail or shine

Paint can peel, timber can rot and mortar can crumble. Fielders® steel wall cladding is long-lasting and virtually maintenance free. With its broad coverage, steel cladding is also extremely weather resistant. A further positive of Fielders® steel wall cladding is that unlike some alternative materials it won't hold heat, meaning your wall and building can cool more quickly in summer.

## Greater design freedom

The Fielders® steel wall cladding range offers a wide selection of attractive profiles which are available in a broad range of COLORBOND® steel colours, so there's bound to be a combination to suit your design vision. Fielders® steel wall cladding is also versatile – some profiles can be curved and shaped to create striking accent walls, helping to give your residential or commercial design a bold and bespoke character that sets it apart. Most Fielders® steel wall cladding products can even be fitted both vertically and horizontally, providing even more design options.

## Safe, durable and secure

Given their strength, durability and low maintenance qualities, Fielders® steel wall cladding products are ideal for use in buildings and homes situated in demanding locations, including bushfire-prone areas. As a non-combustible material, Fielders® steel wall cladding offers exceptional Bushfire Attack Level (BAL) performance. And when it comes to maintenance, keeping your steel cladding looking great is easy, all that's needed is the occasional wash-down with a hose.

## Quick and efficient construction

Being relatively lightweight, Fielders® steel wall cladding is easy to handle during the construction phase, and doesn't require any specialist on-site equipment to install. And because the products offer broad coverage combined with their long spanning capabilities, they are also fast and efficient to install.






# The Fielders<sup>®</sup> Walling Range

## S-Rib<sup>™</sup> Corrugated

The iconic profile that has stood the test of time. Equally at home on heritage projects or the most contemporary designs, S-Rib<sup>™</sup> Corrugated is the economical choice for covering large areas. Light weight and easy to install, S-Rib<sup>™</sup> can be used to great effect alongside Fielders' range of heritage products to create beautiful and authentic restorations.

Available in: NSW/ACT, SA, VIC, WA



## S-Rib<sup>™</sup> Corrugated Walling Quality


S-Rib<sup>™</sup> corrugated walling has been tried and tested in Australia over generations. It offers an iconic look born of shearing sheds and outback buildings but is just as effective on contemporary buildings. S-Rib<sup>™</sup> walling is also the economical choice for covering large surface areas and is lightweight and easy to install. This cladding can also be curved in a number of ways, providing additional versatility and design scope that's only limited by your imagination.

Available in: SA only

## CorroMax<sup>®</sup> 21

With its deep corrugations drawing inspiration from the popular S-Rib<sup>™</sup> profile, CorroMax<sup>®</sup> 21 offers the same benefits and versatility across a range of architectural applications, but with a bolder, dynamic aesthetic. Its deeper corrugations provide more strength delivering greater spanning capacity and improved resistance to damage, enabling potential cost savings during installation, and throughout building lifespan.

Available in: SA only






### TL-5™

TL-5™ is both versatile and economical while still providing a clean and crisp modern finish thanks to its trapezoidal ribs and refined fluting in the pans. Economical sheet coverage combined with excellent spanning capability not only permits wide support spacing but also makes TL-5™ efficient to install.


Available in: NSW/ACT, SA, VIC, WA



### Lo-Rib™

With its subtle, yet well-defined ribs and generous pan widths, Lo-Rib™ wall cladding is visually striking with an attractive finish. Lo-Rib™ offers great versatility and affordability, allowing for easy and quick installation whether the ribs run vertically or horizontally. It is an ideal choice for those looking for a lightweight cladding option.

Available in: NSW/ACT, SA, VIC








## Spanform™

Spanform™ is a square corrugated profile with a contemporary look that delivers a robust, distinct styling to roofing or walling applications. By blending strength, lightness, and rigidity, this widely used cladding provides durability, impact-resistance, and affordability, while also presenting an aesthetically pleasing and linear appearance.

Available in: NSW/ACT, SA, VIC, WA




## KingKlip®


KingKlip® is well suited to all facets of modern architecture due to its strong rib appearance and crisp, clean finish. Characterised by a strong rib appearance that rises from broad flat pans this concealed fixed profile delivers strong, uninterrupted lines across the large areas. It is also strong and has long spanning capabilities and the ability to accommodate thermal expansion, making it ideal for expansive walling installations.

Available in: NSW/ACT, SA, VIC, WA

### KingKlip® 700 (NSW and VIC variant)



### KingKlip® 700 (SA and WA variant)






## Mini-Flute™

Mini-Flute™ walling features a familiar corrugated styling but on a smaller scale. And it's these characteristics that make Mini-Flute™ extremely versatile, whether for creating heritage inspired buildings and interiors, or for the design of contemporary architectural homes. With wide coverage per sheet plus the added versatility of either horizontal or vertical alignment, Mini-Flute™ is quick to install giving a refined, stylish look to any building.


### Mini-Flute™ 810

Available in: NSW/ACT, SA, VIC



### Mini-Flute™ 820


Available in: WA only



## Panelform™

With sleek, low-profile ribs, Panelform™ offers flexibility and design freedom that's only limited by your imagination. A highly durable wall cladding that's easy to fit and trim, Panelform™ provides a clean and contemporary finish that will stand the test of time.

Available in: NSW/ACT, VIC







# FINESSE


ROOFING & WALLING

## Boulevard®


With a defined express joint that creates a strong linear impression and clear visual separation between broad, flat sheets. Boulevard® is ideal for use as a feature statement, or equally at ease as a subtle backdrop to complement other architectural features.

Available in: NSW/ACT, SA, VIC, WA

### Boulevard® 285mm



### Boulevard® 485mm




## Prominence®


With its broad, flat pans and distinctive mid-height ribs, nail-strip style Prominence® makes a bold and elegant statement in walling applications. Delivering striking looks with crisp, clean lines it easily accommodates longer lengths with its greater spanning capacity and is available two widths providing a flexible application of the profile's design aesthetic.

Available in: NSW/ACT, SA, VIC, WA

### Prominence® 265mm



### Prominence® 465mm








## Cadence™


With generous flat pans and pronounced ribs, Cadence™ delivers similar visual appeal as Prominence® but offers clip fixing for optimised thermal performance. Suitable for both walling and roofing applications, Cadence™ is available in two pan widths and is designed to accommodate longer spans.

Available in: NSW/ACT, SA, VIC, WA

### Cadence™ 265mm



### Cadence™ 465mm






# Neo Roman™


With its rounded hemispherical finish and option of either single or double rib profiles, Neo Roman™ offers an ornate alternative to the angular and pronounced rib designs of many modern cladding profiles. While traditional in styling, Neo Roman™ sits equally well as a heritage-inspired profile for period homes or in a contemporary walling setting where it can be applied either vertically or horizontally to great visual effect.

Available in: NSW/ACT, SA, VIC, WA


Neo Roman™ 275mm Single Rib




Neo Roman™ 275mm Double Rib



Neo Roman™ 475mm Single Rib



Neo Roman™ 475mm Double Rib




# Shadowline® 305


With prominent deep ribs and narrow pans, Shadowline® 305 is a detail-rich profile that will make a bold walling statement. A concealed fixing system maintains its clean lines, while the ability to mount either vertically or horizontally opens a myriad of design possibilities, either as a feature element or for broader use throughout the project.

Available in: NSW/ACT, SA, VIC, WA

Shadowline® 305



Shadowline® 305 (WA variant)






## Grandeur®


Grandeur® is a standing-seam profile with a contemporary appearance. It features flat pans and short, delicate ribs that complement virtually any architectural design. The profile is available in substantial pan width options of up to 525mm. The curving capability of Grandeur® makes it an attractive choice for architects and designers who are looking to add sweeping curves to their projects.

Available in: NSW/ACT, SA, VIC, WA

### Grandeur® 325mm



### Grandeur® 525mm








## ARAMAX

ROOF & WALL SYSTEM

ARAMAX® is a big, bold, structural steel cladding profile that delivers a unique aesthetic effect for visually stunning designs. It can achieve generous unsupported spans of up to 20 metres offering greater design flexibility while reducing cost and complexity of supporting structures. ARAMAX® can be tapered along its length to produce spectacular curves and designs and can be rollformed to any transportable length.

Available in: NSW/ACT, SA, VIC, WA




## FREEFORM

ROOF & WALL SYSTEM

FreeForm™ is a versatile cladding that offers design flexibility, functionality, and stunning aesthetics. In addition to single skin walling applications FreeForm™ can also accommodate the most complex configurations including curved surfaces and conical tapered sections.

Available in: NSW/ACT, SA, VIC, WA







# Fielders Colour Range

## COLORBOND® STEEL

From Fielders

For Roofing, Walling,  
Guttering and Fascia

### Classic

Designed to weather the unique Australian land, a Classic finish provides a low sheen aesthetic that provides longevity and durability.

 <div>Dover White® SA = 0.28, BCA = L</div>	 <div>Surfmist® SA = 0.32, BCA = L</div>	 <div>Southerly® SA = 0.40, BCA = L</div>	 <div>Shale Grey™ SA = 0.44, BCA = M</div>	 <div>Bluegum® SA = 0.57, BCA = M</div>	 <div>Windspray® SA = 0.58, BCA = M</div>	 <div>Basalt® SA = 0.69, BCA = D</div>	 <div>Classic Cream™ SA = 0.32, BCA = L</div>
 <div>Paperbark® SA = 0.42, BCA = M</div>	 <div>Evening Haze® SA = 0.43, BCA = M</div>	 <div>Dune® SA = 0.47, BCA = M</div>	 <div>Gully® SA = 0.63, BCA = D</div>	 <div>Jasper® SA = 0.68, BCA = D</div>	 <div>Manor Red® SA = 0.69, BCA = D</div>	 <div>Wallaby® SA = 0.64, BCA = D</div>	 <div>Woodland Grey® SA = 0.71, BCA = D</div>
 <div>Pale Eucalypt® SA = 0.60, BCA = M</div>	 <div>Cottage Green® SA = 0.75, BCA = D</div>	 <div>Ironstone® SA = 0.74, BCA = D</div>	 <div>Deep Ocean® SA = 0.75, BCA = D</div>	 <div>Monument® SA = 0.73, BCA = D</div>	 <div>Night Sky® SA = 0.96, BCA = D</div>		







## COLORBOND® STEEL

From Fielders

For Roofing, Walling,  
Guttering and Fascia








### Matt

Soft in appearance yet durable and strong, a Matt finish beautifully diffuses light for a textured designer appearance.

 <div>Surfmist® SA = 0.33, BCA = L</div>	 <div>Dune® SA = 0.48, BCA = M</div>	 <div>Shale Grey™ SA = 0.46, BCA = M</div>	 <div>Bluegum® SA = 0.59, BCA = M</div>	 <div>Basalt® SA = 0.71, BCA = D</div>	 <div>Monument® SA = 0.79, BCA = D</div>
---------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------







### Ultra

For building in marine and industrial environments, Ultra offers another level of specialist protection and durability.

 <div>Surfmist® SA = 0.32, BCA = L</div>	 <div>Shale Grey™ SA = 0.44, BCA = M</div>	 <div>Windspray® SA = 0.58, BCA = M</div>	 <div>Dune® SA = 0.47, BCA = M</div>	 <div>Wallaby® SA = 0.64, BCA = D</div>	 <div>Woodland Grey® SA = 0.71, BCA = D</div>	 <div>Monument® SA = 0.73, BCA = D</div>
---------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------

### Metallic

The Metallic finish showcases long lasting lustre for colour brilliance. A simple play of light brings out the striking 'metallic' effect.

 <div>Galactic® SA = 0.34, BCA = L</div>	 <div>Cosmic® SA = 0.39, BCA = L</div>	 <div>Rhea® SA = 0.58, BCA = M</div>	 <div>Astro® SA = 0.62, BCA = D</div>	 <div>Aries® SA = 0.70, BCA = D</div>	 <div>Celestial® SA = 0.93, BCA = D</div>
-----------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

## SUPERDURA® STAINLESS STEEL

From Fielders

For Roofing, Walling,  
Guttering and Fascia

Our ultimate pre-painted steel product for corrosion resistance, suitable for very severe marine environments.

 <div>Surfmist® Stainless</div>	 <div>Dune® Stainless</div>	 <div>Windspray® Stainless</div>	 <div>Deep Ocean® Stainless</div>
--------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------






# UNPAINTED STEEL

From Fielders

A range of aesthetics from the large, grey spangles of iconic galvanised steel through to modern, petite spangled ZINCALUME® steel cladding.



For Roofing  
and Walling

# Product Availability

	NSW/ACT	QLD	NT	VIC	TAS	SA	WA
Steel Walling							
S-Rib™ Corrugated	✓			✓		✓	✓
S-Rib™ Corrugated Walling Quality						✓	
CorroMax® 21						✓	
TL-5™	✓			✓		✓	✓
TL-5™ Walling Quality	✓			✓		✓	✓
Spanform™	✓			✓		✓	✓
KingKlip® 700 – NSW VIC Variant	✓			✓			
KingKlip® 700 – SA WA Variant						✓	✓
Panelform™	✓			✓			
Mini-Flute™	✓			✓		✓	✓
Lo-Rib™	✓			✓		✓	
Boulevard®	✓			✓		✓	✓
Prominence®	✓			✓		✓	✓
Cadence™	✓			✓		✓	✓
Grandeur®	✓			✓		✓	✓
Shadowline® 305	✓			✓		✓	
Shadowline® 305 – WA Variant							✓
Neo Roman™	✓			✓		✓	✓
ARAMAX®	✓	✓	✓	✓	✓	✓	✓
FreeForm™	✓	✓	✓	✓	✓	✓	✓

## A Note on Availability

Not all Fielders® products are available in all materials, finishes and colours shown - contact Fielders, your reseller, builder, or installer for more information.

## SA and BCA Classification Explained


**SA** = Solar Absorptance. The classification of colours in the BCA is based on solar absorptance, which is the inverse of solar reflectance, expressed as a ratio between 0 and 1. A SA value of 0 indicates that a roof absorbs none and a value of 1 indicates that a roof absorbs 100% of the incoming solar radiation. Solar absorptance value is not applicable for SUPERDURA® Stainless steel. See the individual colour swatches for the SA value for each product and colour.

**BCA** = The Building Code of Australia (BCA) has classified roof colour on the basis of their solar absorptance, referred herein as Light (L < 0.40), Medium (M < 0.60), Dark (D > 0.60). See the individual colour swatches for the ratings available for each product and colour. BCA classification is correct at the time of printing but may be subject to change. Check your local state building regulations at the time of your project.







## Fielders' Product Range




**Roofing  
and Walling**




**Gutters, Fascia  
and Rainwater  
Goods**




**Flooring and  
Formwork**



**Sheds**



**Fencing**



**Patios and  
Carports**

[fielders.com.au](https://fielders.com.au)

**FOR SALES AND TECHNICAL ENQUIRIES CALL 1800 182 255**

### Product Descriptions

All descriptions, specifications, illustrations, drawings, data, dimensions, and weights contained in this publication and websites containing information from Fielders are approximations only. They are intended by Fielders to be a general description for information and identification purposes and do not create a sale by description. Fielders reserves the right at any time to:

- Supply goods with such minor modifications from its drawings and specifications as it sees fit, and
  - Alter specifications shown in its publications and websites to reflect changes made after the date of publication.
- Not all Fielders® products are available in all materials, finishes and colours shown. Material, finish and colour availability is indicative only and is subject to change without notice – contact Fielders, your reseller, builder, or installer for more information. The colour swatches shown have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones and finishes. COLORBOND®, SUPERDURA®, ZINCALUME®, Fielders® and ® colour and product names are registered trademarks of BlueScope Steel Limited and "™" colour and product names are trademarks of BlueScope Steel Limited. © 2024 BlueScope Steel Limited. ABN 16 000 011 058. All rights reserved. FIE0157 – 08/24



Scan the QR code to access more inspiration and product information on [fielders.com.au](https://fielders.com.au)

